

REMARKS

This Amendment After Final Rejection is submitted in response to the outstanding final Office Action, dated September 21, 2004. Claims 1 through 22 are presently pending in the above-identified patent application. FIG. 2 and the specification are proposed to be amended herein.

5 No additional fee is due.

This amendment is submitted pursuant to 37 CFR §1.116 and should be entered. The Amendment places all of the pending claims, i.e., claims 1 through 22, in a form that is believed allowable, and, in any event, in a better form for appeal. It is believed that examination of the pending claims as amended, which are consistent with the previous record herein, will not place any
10 substantial burden on the Examiner.

In the Office Action, the Examiner rejected claims 1-22 under 35 U.S.C. §112, first paragraph, as failing to comply with the written description requirement.

The present invention is directed to a terrestrial repeater for use in a satellite transmission system that may also include a plurality of satellites. The OFDM terrestrial repeaters
15 differentially encode the transmitted signal over frequency, as opposed to time, in order to avoid channel phase distortion.

Information Disclosure Statement

An Information Disclosure Statement is submitted herewith to submit papers that were incorporated by reference in the original specification.

Drawings

20 FIG. 2 has been amended to indicate that an analog-to-digital conversion is performed in the OFDM transmitter following the addition of the cyclic prefix. A formal drawing will be submitted for FIG. 2 following entry of the amendment.

Section 112 Rejections

25 Claims 1-22 were rejected under 35 U.S.C. §112, first paragraph, as failing to comply with the written description requirement. In particular, the Examiner asserts that the original specification fails to teach for “analog signal is centered at a desired carrier frequency” as recited in amended claims 1 and 7, or “transformed signal is centered at a desired carrier frequency” as recited


in claim 13, or “recovered signal is centered at a desired carrier frequency” as recited in claim 18. The Examiner further asserts that the text cited on page 9, line 21, to page 11, line 2, does not teach such subject matter.

Applicants maintain that the cited text supports the amendments of the Amendment and Response to Office Action dated June 14, 2004. Independent claim 1, for example, requires differentially encoding said signal in the frequency domain using adjacent sub-carriers to produce differentially encoded symbols; storing said differentially encoded symbols and one or more pilot tones in an IFFT buffer to produce an analog signal centered at a desired carrier frequency; and transforming said analog signal to create said OFDM signal.

Applicants note that documents incorporated by reference in the present disclosure, namely, W.Y. Zou and Y. Wu, "COFDM - An Overview," IEEE Trans. Broadcasting, Vol. 41, No. 1, 1-8 (March 1995) and J.A.C. Bingham, "Multicarrier Modulation for Data Transmission: An Idea Whose Time Has Come," IEEE Comm., 5-14 (May 1990), are representative of what was known to those skilled in the art at the time of the invention. Based on these documents, a person of ordinary skill in the art would have known to perform a digital-to-analog operation on the data in the IFFT buffer following the IFFT, but prior to transmission. (See, for example, FIG. 1 of “COFDM – An Overview.”) Also, based on these documents, a person of ordinary skill in the art would recognize that the configuration of the data in the IFFT buffer, as disclosed in the present invention, would inherently produce an analog signal centered at a desired carrier frequency following the analog-to-digital operation, as described below. The specification has therefore been amended to indicate that an analog-to-digital conversion is performed in the OFDM transmitter following the addition of the cyclic prefix.

Applicants note that the contents of the IFFT buffer represent the OFDM symbols in the frequency domain. The cited text discloses that differentially encoded and frequency interleaved symbols (all “z’s” on page 10, lines 10-13) and pilot tones t_0 and t_{489} (page 8, lines 6-17) are stored in the IFFT buffer (page 7, line 27, to page 11, line 21). In radian frequency, the 0th bin corresponds to 0 radians, and the last bin (bin number 2047) represents 2π radians. After the IFFT, the time domain representation of the symbol is obtained. Once the digital to analog conversion is achieved, the 0th

bin will correspond to the first carrier located at 0 Hz, and the 2047th bin will correspond to 2047*4000 Hz. It is well known, however, that a digital signal replicates itself every 2π radians. Thus, after an analog-to-digital operation, and the filtering operation achieved by the analog-to-digital operation, the transmitted data will be the replica of the signal that is closest to the 0 Hz location, and will be *symmetrically located around that frequency*. Thus, the buffering, the subsequent IFFT, and the analog-to-digital operation will transmit a plurality of tones such that the 0th subcarrier will contain the null, the First N_a subcarriers to the right of the null (i.e., the positive frequencies) will be located from 0 Hz to $F/2$, and the latter N_a sub-carriers will be located from $-F/2$ to 0 Hz.



Regarding the Examiner's assertion that the "inherency asserted by the Applicant fails to provide the proof that the disclosure and the prior arts teachings do necessarily or inherently possess the cited characteristic," Applicants note that the prior art was relied upon to demonstrate that the need for a D/A converter in an OFDM transmitter was apparent to a person of ordinary skill

in the art (see, W.Y. Zou and Y. Wu, "COFDM - An Overview," IEEE Trans. Broadcasting, Vol. 41, No. 1, 1-8 (March 1995): sections 3.1 to 3.5 and FIG. 1). The production of an analog signal centered at a desired frequency is supported by the specification, as outlined in the preceding paragraph.


5 Thus, the subject matter of the claim limitations cited by the Examiner are supported in the original specification.

 All of the pending claims, i.e., claims 1 through 22, are in condition for allowance and such favorable action is earnestly solicited.

10 If any outstanding issues remain, or if the Examiner has any further suggestions for expediting allowance of this application, the Examiner is invited to contact the undersigned at the telephone number indicated below.

 The Examiner's attention to this matter is appreciated.

Respectfully submitted,

15 

Date: January 20, 2005

Kevin M. Mason
Attorney for Applicant(s)
Reg. No. 36,597
20 Ryan, Mason & Lewis, LLP
1300 Post Road, Suite 205
Fairfield, CT 06824
(203) 255-6560